

SAFETY DATA SHEET	
KOALA AUTO KARE	PAINT & RESIN HAND CLEANER
April 2017	Page 1 of Total 6

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
Trade Name:	PAINT & RESIN HAND CLEANER		
SUPPLIER:	BRS AUSTRALIA PTY LTD		
ADDRESS:	P.O. Box 1071 Ashmore City, QLD 4214		
TELEPHONE:	07 3807 7400	FAX:	07 3807 7491
EMERGENCY PHONE:	13 1126 in Australia	ABN:	19 158 969 754
Substance:	Water Based Liquid	Product Use:	Hand Cleaner
Creation Date:	April 2017	Revision Date:	April 2022

Code: XPRHC/XLP20			
SECTION 2 – HAZARDS IDENTIFICA	ATION		
Classification of the substance or mixture			
Poisons Schedule	Not scheduled		
Dangerous Goods	Not classified as Dangerous Goods		
GHS Classification	Serious Eye Damage/Irritation Category 1		
Label elements			
GHS label pictograms			
Signal word	DANGER		
Hazard statement(s)	Hazard statement(s)		
H318	Causes serious eye damage.		
Precautionary statement(s): Gen	eral		
P102	Keep out of reach of children.		
P103	Read label before use.		
Precautionary statement(s): Prevention			
P280	Wear eye protection/face protection.		
Precautionary statement(s): Resp	oonse		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER or doctor/physician.		
Precautionary statement(s): Store	age		
	None allocated		
Precautionary statement(s): Disposal			
	None allocated		
Note			
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:4 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.		



SAFETY DATA SHEET KOALA AUTO KARE PAINT & RESIN HAND CLEANER April 2017 Page 2 of Total 6

Ingredients:	CAS Number:	Proportion:
Alcohol ethoxylate	68131-39-5	< 10% w/w
Poly(oxy-1,2-ethanediyl), .alpha(2- propylheptyl)omega.hydroxy-	160875-66-1	< 10 % w/w
Ingredients determined to be non-hazardous	various	< 10 % w/w
Water	7732-18-5	To 100 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID	MEASURES
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated
	clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Non flammable liquid. However, on evaporation of the aqueous component, the residual	
Hazards	material may burn.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.	
Flash Point	None	

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
Emergency Procedures	Minor spills do not normally need any special clean-up measures – rinse with water. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. As a water based product, if spilt on electrical equipment the product will cause short-circuits. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.	



SAFETY DATA SHEET	
KOALA AUTO KARE	PAINT & RESIN HAND CLEANER
April 2017	Page 3 of Total 6

Handling	Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep
	containers closed at all times. Avoid physical damage to containers.
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in
	suitable, labelled containers. Keep containers tightly closed. Store away from incompatible
	materials. Ensure that storage conditions comply with applicable local and national regulations.

Exposure Limits	National Occupational Exposure Limits, as published by National Occupational Health & Safety
	Commission:
	Time-weighted Average (TWA):
	None established for product.
	Short Term Exposure Limit (STEL):
	None established for product.
Ventilation	No special requirements.
Personal Protective	Use good occupational work practice. The use of protective clothing and equipment depends
Equipment	upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Generally not required for typical applications as per label directions.
	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning
	up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Not required for typical applications as per label directions.
	Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	
	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
Respirator	
	Generally not required for typical applications with diluted solutions as per label directions.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Viscous liquid/gel	Colour	Pink
Odour	characteristic odour	Specific Gravity	1.01 – 1.02 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	6.5 – 7.5 neat
Volatile Organic	0 % v/v	Per Cent Volatile	Ca 80 % v/v
Compounds (VOC)	0 70 V/ V		
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY	
Reactivity	Stable at normal temperatures and pressure.
Conditions to Avoid	Extremes of temperature and direct sunlight.



SAFETY DATA SHEET	
KOALA AUTO KARE PAINT & RESIN HAND CLEANER	
April 2017	Page 4 of Total 6

Incompatibilities	Reducing agents, oxidizing agents.	
Hazardous		
Decomposition	Thermal decomposition may result in the release of toxic and/or irritating fumes.	

SECTION 11 – TOXICOLOGIC	CAL INFORMATION	
POTENTIAL HEALTH EFFECTS		
No adverse health effects e	No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.	
Symptoms or effects that m	Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:	
Inhalation	Not considered to be an inhalation hazard.	
Skin contact	Hand cleaner - properly rinsed solutions not expected to be irritating to skin. Prolonged contact	
	with concentrate may be irritating to skin. The symptoms may include redness, itching and	
	swelling.	
Eye contact	Concentrated product causes eye irritation. Eye contact with concentrate will cause stinging,	
	blurring, tearing. Contact with concentrated product may cause serious eye damage.	
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.	
Chronic exposure	No known effects.	
Toxicology Information	Not toxic, based on ingredients. Oral LD50 (calculated) : >5000 mg/kg	
Carcinogen Status		
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.	
NTP	No significant ingredient is classified as carcinogenic by NTP.	
IARC	No significant ingredient is classified as carcinogenic by IARC.	
Respiratory sensitisation	Not expected to be a respiratory sensitizer.	
Skin Sensitisation	Not expected to be a skin sensitizer.	
Germ cell mutagenicity	Not considered to be a mutagenic hazard.	
Reproductive Toxicity	Not considered to be toxic to reproduction.	
STOT-single exposure	Not expected to cause toxicity to a specific target organ.	
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.	
Aspiration Hazard	Not expected to be an aspiration hazard.	

SECTION 12 – ECOLOGICAL INFORMATION	
Eco-toxicity	Harmful to aquatic life.
Product (as sold)	Acute Aquatic Toxicity Category 3 - (LC50 >10 mg/L but < 100mg/L).
	Acute Aquatic Toxicity (Calculated) LC50: 25 - 35 mg/L.
Eco-toxicity	Not harmful to aquatic life.
Product (at use dilution	Acute Aquatic Toxicity NOT HAZARDOUS (LC50 > 100mg/L).
1:100 rinse)	Acute Aquatic Toxicity (Calculated) LC50: 2500 - 3500 mg/L.
Persistence and degradability	Readily biodegradable, based on ingredients.
Bio accumulative potential	No bioaccumulation is expected.
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.



SAFETY DATA SHEET	
KOALA AUTO KARE	PAINT & RESIN HAND CLEANER
April 2017	Page 5 of Total 6

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION	
Labels Required	
ADG	Not classified as Dangerous Goods.
IMDG Marine Pollutant	No
HAZCHEM	None allocated.
Land Transport (ADG)	
UN Number	None allocated.
ADG Code	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
Segregation	None allocated.

SECTION 15 – REGULATORY	INFORMATION
GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not scheduled
ADG Code	Not DG
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFOR	RMATION
Issue Date	10 th April 2017
Version Number	V 2.0 GHS Classification.
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
•	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	NOHSC: National Occupational Health and Safety Commission.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)



SAFETY DATA SHEET	
KOALA AUTO KARE	PAINT & RESIN HAND CLEANER
April 2017	Page 6 of Total 6

	"Australian Exposure Standards". Safework Australia
	Australian Code For The Transport Of Dangerous Goods By Road And Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Material Safety Data Sheets – individual raw materials – Suppliers
	HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.
End of SDS	