

BRS AUSTRALIA Product: TRUCK WASH & WAX

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: BRS AUSTRALIA PTY LTD

ADDRESS: P.O. Box 1071 Ashmore City, QLD 4214

Trade Name: TRUCK WASH & WAX

 TELEPHONE:
 07 3807 7400
 FAX:
 07 3807 7491

 AH EMERGENCY TELEPHONE:
 13 1126 in Australia
 ABN:
 19 158 969 754

 Substance:
 Water Based
 Product Use:
 Truck Wash & Wax

Creation Date: March 2016 Revision Date: March 2021

Product Code: OTWW/XTWW

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture	
Safework Australia Classification	Hazardous/eye irritant R36
Poisons Schedule	Not scheduled
HSNO Category	6.4A
ADG Code	Not classified as dangerous goods
GHS Classification	Eye Damage Category 2A

Label elements	
GHS label pictograms	GHS07
Signal word	Warning

Hazard statements	
H319	Causes serious eye irritation

Precautionary statements: General		
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read label before use.

Precautionary Statements: Prevention	
264	Wash hands thoroughly after handling.
. 280	Wear eye protection/ face protection.

Precautionary statements: Response	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Date of Issue: 14 th March 2016	Page 1 of Total 9
Date of 100do. 11 March 2010	1 ago 1 or 1 otar o



BRS AUSTRALIA Product: TRUCK WASH & WAX

Precautionary statements: Storage

Not applicable

Precautionary statements: Disposal

Not applicable

Note

IMPORTANT This SDS and the Hazard Classifications contained therein, only apply to the product in its

concentrated form, as supplied.

When diluted to 1:2 or greater they no longer apply.

However, good hygiene and housekeeping practices should be adhered to.

EMERGENCY OVERVIEW			
Colour	Yellow	Odour	characteristic
Physical Description	Liquid	Viscosity	Viscous liquid

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:		CAS Number:	Proportion:
Sodium dodecylbenzene sulp	ohonate	25155-30-0	<10% w/w
Cocamide monoethanolamic	de	68140-00-1	<10% w/w
Ingredients determined to be		_	
hazardous (chelating agents,	•	various	< 10% w/w
acrylic polymer, preservative	e, dye)		
Water		7732-18-5	To 100% w/w
NOTE:	Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.		

SECTION 4 – FIRST AID MEASURES

Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	Normal washroom facilities.
Skin contact	Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.
Eye contact	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Seek medical advice (e.g. ophthalmologist).
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Inhalation	Remove victim to fresh air away from exposure - avoid becoming a casualty. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of

Date of Issue: 14 th March 2016	Page 2 of Total 9
Date of 133de. 14 March 2010	rage z or rotar s



BRS AUSTRALIA Product: TRUCK WASH & WAX

	distress of the patient. Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons.
Aggravated Medical	
Conditions	None known.

Symptoms caused by exposure				
	•	Ingestion may result in nausea and vomiting.		
	•	Skin contact may result in irritation, redness, pain, rash, dermatitis.		
	•	Eye contact may result in irritation, lacrimation, pain, redness, conjunctivitis.		
	•	Inhalation over exposure may result in mucous membrane irritation of the respiratory		
		tract and coughing.		

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing equi	quipment / media	
Extinguish media	Not combustible, however if material is involved in a fire use: Fine water spray, normal foam,	
	dry agent (carbon dioxide, dry chemical powder).	

Special hazards arising from	n the chemical
Fire incompatibility	None known.

Special protective equipment and precautions for fire fighters				
Fire Fighting	Move people from immediate area; keep upwind.			
	Stop leak if safe to do so.			
	 Send messenger to notify fire brigade and police. 			
	 Tell them location, material quantity and emergency contact. 			
	 Indicate condition of vehicle and damage or injuries observed. 			
	Warn other traffic.			
Fire/Explosion Hazard	Water based. Not combustible.			
	 However if involved in a fire will emit toxic fumes. 			

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Minor spills	Clean up all spills immediately.		
	Avoid breathing vapours and contact with skin and eyes.		
	Control personal contact with the substance, by using protective equipment.		
	For small spills (< 1 drum), transfer by mechanical means to a labelled, sealable		
	container for product recovery or safe disposal. Allow any residues to evaporate or use		
	an appropriate absorbent material and dispose of safely.		
Major spills	Stop leak if safe to do so.		
	 In the event of a major spill, prevent spillage from entering drains or water courses. 		

Date of Issue: 14 th March 2016	Page 3 of Total 9
Date of 100do. 11 March 2010	1 490 0 01 10141 0



BRS AUSTRALIA Product: TRUCK WASH & WAX

- Send messenger to notify fire brigade and police.
- Tell them location, material quantity and emergency contact.
- Indicate condition of vehicle and damage or injuries observed.
- Warn other traffic.
- Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination.
- Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions.
- Residual deposits will remain slippery.
- Wash area down with excess water.
- If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

Environmental precautions

- Use appropriate containment to avoid environmental contamination.
- Prevent from spreading and entering waterway using sand, earth or other appropriate barriers.
- Ventilate contaminated area thoroughly.

Methods and materials for containment and cleaning up

- Avoid contact with spilled or released material.
- Shut off leaks, if possible without personal risks.
- Isolate hazard area and deny entry to unnecessary or unprotected personnel.
- Personal protective equipment advice is contained in Section 8 of the SDS.

Section 7 – Handling and Storage

Precautions for safe handling		
Safe handling	Wear prescribed protective clothing.	
	Use in well ventilated area.	
	Do NOT eat, drink or smoke when handling.	
	Wash hands after use.	
	Keep containers closed tightly when not in use.	
	Store in accordance to manufacturers instructions.	
Other information	Store in original containers.	
	Store in a cool, dry, well ventilated area out of direct sunlight.	
	Store in approved cupboards or storage containers.	

Conditions for safe storage, including any incompatibilities

Date of Issue: 14 th March 2016 Page 4 of Total 9
--



BRS AUSTRALIA Product: TRUCK WASH & WAX

Suitable container	lk storage tanks should be bunded.	
	Store in original containers provided by the manufacturer.	
Storage incompatibility	Store in a well-ventilated area, away from sunlight, ignition sources and other sources of heat.	
	Do not store near strong oxidants.	

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:	From
TRUCK WASH & WAX	availa

From National Occupational Health & Safety Commission (NOHSC) Worksafe Australia – None available for this product.

Contains no substances with occupational exposure limits.

Ingredients data

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australian Exposure Standards	Not available	Not available	Not available	Not available	Not available	Not available

Biological Limit Value	None established for product.		
Engineering Controls	Ensure ventilation is adequate to maintain air concentrations below exposure standards. Use only in a well-ventilated area.		
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. The following protective equipment should be available;		
Eye Protection	Eye and face protection recommended. The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.		
Skin Protection	Gloves are generally not required for typical applications as per label directions. Gloves are recommended for sensitive skin. Work clothes, work boots and gloves are recommended for handling the concentrated product in quantity, cleaning up spills, decanting, etc (as per AS/NZS 2161, or as recommended by supplier).		
Protective Material Types Use solvent resistant gloves, nitrile for longer term protection or PVC and neopre incidental splashes.			
Respirator	Generally not required for typical applications as per label directions. If work practices do not maintain airborne level below exposure standards, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours. Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.		

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Viscous liquid	Colour	Blue

Date of Issue: 14 th March 2016	Page 5 of Total 9
Date of issue. 14 March 2010	l age 3 of Total 9



BRS AUSTRALIA Product: TRUCK WASH & WAX

Colour: Yellow

Odour	Characteristic Odour	Specific Gravity	1.02 – 1.04 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	7.5 – 8.5 neat
Volatile Organic	0 % v/v	Coefficient of Water/Oil	Not available
Compounds (VOC)	U 76 V/V	Distribution	Not available
Viscosity	Not available	Odour Threshold	Not available
Evaporation Rate	Not available	Per Cent Volatile	Ca 85 % v/v

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability Stable at normal temperatures and pressure.	
Conditions to Avoid	None known.
Incompatible Materials Can react with strong oxidizing agents.	
Hazardous Decomposition Product can decompose on combustion to form Carbon Monoxide, Carbon Dio	
Products possibly toxic gases and vapours.	
Hazardous Reactions	None known.

SECTION 11 – TOXICOLOGICAL INFORMATION

SECTION II TOXICOLOGICAL IN CHINATION		
PRODUCT MIXTURE INFORMATION		
POTENTIAL HEALTH EFFECTS		
Ingestion		
Swallowing large amounts of this product can cause stomach irritation, nausea and diarrhea.		
No information available.		
Prolonged contact with concentrated solutions may be irritating.		
Prolonged and repeated skin contact with solutions may induce eczematoid dermatitis in certain individuals.		
short term exposure Irritant to eyes. Eye contact may result in irritation, lacrimation, pain, redness, conjunctiviti		
long term exposure Repeated overexposure may lead to chronic conjunctivitis.		
short term exposure Exposure to intentionally generated mists of this product may cause slight nose and throat irritation.		
long term exposure No information available.		
No significant ingredient is classified as carcinogenic by NOHSC.		
No significant ingredient is classified as carcinogenic by NTP.		
No significant ingredient is classified as carcinogenic by IARC.		
aggravated by exposure No information available.		

TRUCK WASH & WAX			
TOXICITY	Not toxic, based on ingredients.	IRRITATION	Not irritating to skin.
	Oral LD50 (calculated): 4200 -		Causes serious eye irritation, based
	4350mg/L		on ingredients.

- the same	
Date of Issue: 14" March 2016	Page 6 of Total 9
2 4.0 0004.04.0 20.0	. age o o eta. e



BRS AUSTRALIA Product: TRUCK WASH & WAX

CLASSIFICATION OF INDIVIDUAL INGREDIENTS

NOTE: This information relates to each individual ingredient, when evaluated as pure undiluted chemical. See SECTION 3 for actual proportions of ingredients present in this product.

Cocamide monoethanolamide 100%			
Acute Toxicity	LD50 : > 3,000 mg/kg - Rat , male and	Carcinogenicity	NO
	female Method: OECD Test Guideline		
	401 Acute dermal toxicity LD50		
	: > 2,000 mg/kg - Rabbit , male and		
	female The substance or mixture has no		
	acute dermal toxicity		
Skin Irritation/Corrosion	Skin Corrosion/Irritation Category 2	Reproductivity	NO
	H315: Causes skin irritation		
Serious Eye Damage/Irritation	Serious Eye Damage/Eye Irritation	STOT – Single Exposure	NO
	Category 2/2A H319: Causes		
	serious eye irritation		
Respiratory or Skin sensitivity	NO	STOT – Repeated	NO
		Exposure	
Mutagencity	NO	Aspiration Hazard	NO

Sodium dodecylbenzenesulphonate 100%			
Acute Toxicity	438 mg/kg oral-rat LD50; 1330	Carcinogenicity	Not listed as a carcinogen NTP, IARC,
	mg/kg oral-mouse LD50; 105		OSHA, EPA.
	mg/kg intravenous-mouse LD50;		
	3040 mg/kg/30 day(s) continuous		
	oral-rat TDLo; 5 gm/kg/30 day(s)		
	intermittent oral-mouse TDLo.		
Skin Irritation/Corrosion	20 mg/24 hour(s) skin-rabbit	Reproductivity	No data available
	moderate; 250 ug/24 hour(s) eyes-		
	rabbit severe; 1 percent eyes-		
	rabbit severe.		
Serious Eye Damage/Irritation	EYE IRRITATION (rabbit): Severe	STOT – Single Exposure	No data available
	eye irritant		
Respiratory or Skin sensitivity	No data available	STOT – Repeated Exposure	No data available
Mutagencity	No data available	Aspiration Hazard	No data available

SECTION 12 – ECOLOGICAL INFORMATION

Aquatic Toxicity		
TRUCK WASH & WAX (as sold)	Acute Aquatic Toxicity (Calculated) LC50: 32.3 – 44.5 mg/L. Acute Aquatic Toxicity Category 3 - Harmful to aquatic life. Note 10. LC50 > 10 mg/L but < 100mg/L.	
TRUCK WASH & WAX (at		
use dilution 1:100 rinse)	Acute Aquatic Toxicity (Calculated) LC50: 3230 - 4420 mg/L.	
•	Acute Aquatic Toxicity NOT HAZARDOUS – Not harmful to aquatic life. LC50 > 100mg/L.	
Sodium		
dodecylbenzenesulphonate LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h		
Cocamide LC50 - 96 h : > 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test.		
monoethanolamide EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monito Method: OECD Test Guideline 202.		
	ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201	
	NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201.	

Date of Issue: 14 th March 2016	Page 7 of Total 9



BRS AUSTRALIA Product: TRUCK WASH & WAX

NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublished reports Harmful to fish with long lasting effects.

Persistence and degradability			
Ingredient	Persistence: Water/Soil	Persistance: Air	
Cocamide monoethanolamide	Readily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environment	Not available	
Sodium	Readily biodegradable - according to	Not Available	
dodecylbenzenesulphonate	Australian Standard AS4351.		

Bioaccumulative potential	
Ingredient	Bioaccumulation
Cocamide monoethanolamide	Not available
Sodium dodecylbenzenesulphonate	No bioaccumulation is expected.

Mobility in soil	
Ingredient	Mobility
Sodium	Due to its physico-chemical characteristics, highly mobile in the environment and will partition
dodecylbenzenesulphonate	to the aquatic compartment.
Cocamide	Not available
monoethanolamide	Not available

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal	To dispose of quantities of undiluted product, refer to State Land Waste Management
	Authority. Transfer product residues to a labelled, sealed container for disposal or recovery.
	Waste disposal must be by an accredited contractor. As with any chemical, do not put down the
	drain in quantity. The small quantities contained in wash solutions (when used as directed) can
	generally be handled by conventional sewage systems, septics, and grey water systems. For
	larger scale use, eg. truck washing depot, a recycled water system is often recommended, or
	Trade Waste License obtained for disposal to sewer.

SECTION 14 – TRANSPORT INFORMATION

ADG CODE – ROAD & R	AIL		
UN Number	none allocated	ADG Classification	none allocated
Shipping Name	none allocated	ADG Subsidiary Risk	none allocated
Hazchem Code	none allocated	Packing Group	none allocated

SECTION 15 – REGULATORY INFORMATION

SAFE WORK AUSTRALIA	HAZARDOUS/EYE IRRITANT R36
---------------------	----------------------------

Date of Issue: 14 th March 2016	Page 8 of Total 9



BRS AUSTRALIA Product: TRUCK WASH & WAX

GHS Classification	Eye Damage Category 2A
SUSMP	not scheduled
HSNO Category	6.4A
ADG Code	None allocated
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION

Acronyms	
GHS	Global System of Harmonisation.
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail.
CAS Number	Chemical Abstracts Service Registry Number.
UN Number	United Nations Number.
HAZCHEM	An emergency action code of numbers and letters which gives information to emergency services.
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
NOHSC	National Occupational Health and Safety Commission.
NTP	National Toxicology Program (USA).
IARC	International Agency for Research on Cancer.
AICS	Australian Inventory of Chemical Substances.
TWA	Time Weighted Average
STEL	Short Term Exposure Limit
Literature References	List of Designated Hazardous Substances [NOHSC:10005(1999)]
	Australian Code For The Transport Of Dangerous Goods By Road And Rail – 7 th Edition.
	Standard for the Uniform Scheduling of Medicines and Poisons 2015.
	National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]
	Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
	Material Safety Data Sheets – individual raw materials – Suppliers.
	HSIS – Hazardous Substance Information System – National Worksafe Data Base.
	Labelling of workplace hazardous chemicals, Code of Practice, DEC 2011
	Guidance on the classification of hazardous chemicals under the WHS Regulations, Implementation of the Globally Harmonised System of classification and labeling of chemicals (GHS) APRIL 2012
	Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Third revised edition.
Revision Information	New Issue to standard: PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS Code of Practice DECEMBER 2011
Note	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.
Contact Point	Regulatory Affairs Manager Telephone 07 3807 7400

This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

Date of Issue: 14 th March 2016 Page 9 of Total 9
--